or four years," Rothlisberger

Street and then through the

said. "We've found a few

manholes that we repaired

they did 50 years ago, which

Residents seek help with flooding in Fairport

by MARIAN **MCMAHON**

LAKE COUNTY - Niles Oinonen of East Street in Fairport Harbor addressed the Lake County Board of Commissioners at its May 5. meeting concerning all the sewer backups occurring in the area.

"We've been getting more sewer water backing up into our basements more often and it's not technically, really, we don't think, due to the flooding," he said. "The flooding is adding to it; we understand that, but there's something wrong when the storm water, or rain water, ends up in the sanitary sewers."

Oinonen said he was talking about two and three feet of sewage flooding in basements. He asked what the county's plan was and noted no one in the village, including council, has received any reports from the testing the county did in the village previously.

He said he knows the county came in and did some work on the system, but since then, different areas are flooding.

Board President Ray Sines asked Randy Rothlisberger, assistant sanitary engineer, to address the projects completed in the village.

"We replaced about 2,000 feet of sanitary sewer line along New Street and Plum

water entering the sanitary cannot fix is all the storm

ond furnace replacement in

found recently and they wil

Some leaks have been

One problem the county

March had double the aver pumped to our greater Men we're working on a plan to improve the Glyco Lift Stacouple years. Right now age rainfall and all spring the Glyco Lift Station and is Fairport Harbor goes to this tion; which basically al were leaking over the las maybe a dozen or so that He said February and

ficult when water levels are the higher than average wa amounts of rain. The good area has had above average low, he explained leaking into the system is dif ter levels to televise the lines cameras into the system with county has been able to senc frying to find storm water thing has been that the

issue. He first presented copin Fairport also spoke on the to the sanitary system. a resident needed to dig up footer drain was connected es of his mother's utility bills his basement, he found the In at least one case, wher Tim Hadden of Vine Street

source," Rothlisberger said sources, either from sump system from private proper pumps, footing drains or just through the laterals ... from clear water coming leaking laterals could be th "We're finding a lot of

concerning the private prop cials for the following week scheduled with Fairport offi There was a meeting private property how to

were supplied to property sued getting its residents to tary sewer lines. Splash blocks no longer connected to sanifix downspouts so they were He said Fairport had pur

county took it over as part of eral funding to build the Gary said Fairport's system was no good shape when the Commissioner Dan Troy

use the same materials as He said the systems still to have the project made a the problem, but he wished county had been working on

getting better. ... It seems to lot of money to fix it. It's not problem; it's going to take a be increasing in intensity and been meeting with Randy the few people that have fects the entire town; not just "It's a massive

how the county was proand set priorities, so that was pleted a study of the village was a consultant that com-Rothlisberger said there

village since Hemisphere Cor at the cemetery and in the also mentioned there seemed the old Diamond Shamrock poration had begun work on to be more water problems The Fairport residents

ment Department check into County Stormwater Manage Miller, director of the Lake Troy asked that Tim

"I think the flooding af such as the current system is is clay pipe and grouting. He asked LCDU if there were any new materials which could the possibility of future leaks be used and would eliminate

and new methods coming Rothlisberger said. constantly reviewing those, out every year and we are He said lining seemed to "There's new technology

the joints. The laterals are still and the process eliminates be working best right now

See FAIRPORT on Page